TUMKUR DIVISION.

Dated 11th February 1928.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur Division, up to 2 P.M., 27th February 1928, for constructing Urdu Middle Primary School at Maddagiri. An approximate estimate of quantities is given below. These and quantities are not guaranteed. The work should be completed by the end of June 1928.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer.

4. Each tender must be accompanied by a deposit of Rs. 450 in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for constructing Urdu Middle and Primary School at Maddagiri" in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. The rate should be noted both in figures and in words in the form without any corrections or additions under items of work.

10. No claims for any higher rate on any account will be entertained after the tender is accepted.

11. The contractor will be fined in terms of his bond for any short progress or delay.

12. In matters of all disputes about rates, measurements, quantity of work, etc., and in all disputes of any kind the decision of the Chief Engineer will be final and legally binding on the contractor.

Approximate quantities of work for constructing Urdu Middle and Primary School at Maddagiri.

Tender given by Mr.....for constructing combined Urdu Middle and Primary School at Maddagiri :—

Serial No.	Items of work	Per	Quantity	Rate	
				In figures	In words
				Rs. a. p.	
1	Earthwork excavation and filling ...	C.yd.	76		
2	Burnt stone in clay foundation with bond slabs for every 6 ft. in each layer.	C.ft.	2,017		
3	Burnt size stone in clay basement with hammer dressed facing and bond slabs for every 6 ft. in each layer.	„	1,089		
4	Burntbrick in clay superstructure, with bond slabs for every 10 ft. an 4 ft. in height.	„	3,750		
5	Burnt brick in mortar	„	596		
6	Burnt brick in mortar arch work ...	„	146		
7	Burnt stone slabs 6" roughly dressed ...	„	525		
8	Chunam plastering two coats	Sqr.	72·75		
9	Chunam plastering rough one coat ½" thick well rubbed with trowel and pressed with pebes from sand screening thrown on the surface, to got the effect rough cast work.	„	12·60		

Serial No.	Items of work	Per	Quantity	Rate	
				In figures	In words
				Rs. a. p.	
10	Teakwood doors with panelled shutter 1¼" frame glazed ventilators on the top, Iron works, such as hinges, tower bolts hasps and staples, iron clamps etc., complete as per Marryats specification.	S.ft.	168		
11	Teakwood windows with panelled shutters ¾" iron bars, iron clamps, hinges, hooks and eyes complete as per Marryats specification.	„	175		
12	Teakwood glazed ventilators over windows with iron work etc., complete.	Sqr.	27		
13	Teakwood work wrought and put up with wood oiling.	C.ft.	240·10		
14	Roofing with 1st class Mangalore pattern Tumkur tiles on teak reepers 2" x 1" and care tiles being tied up by a teak button 2" x 1" screw down to the rafter.	Sqr.	43.90		
15	Ridge tiles set in mortar and cement pointing	R.ft.	184		
16	Teakwood planks ¾" thick to valleys ...	S.ft.	102		
17	Zinc sheets to valleys 22 guage	„	102		
18	White and colour washing	Sqr.	72·75		
19	Silicate painting	„	7·40		
20	Tarrying woodwork	Lump sum			
21	Flooring with first class Mangalore tiles on 3" concrete bed and cement pointing.	Sqr.	19·11		
22	Flooring with 1½/ Kadapa slabs on 3" concrete bed and cement pointing.	„	4·00		
23	Teakwood cave board ornamental 9" wide with painting.	R.ft.	4·09		
24	Cement pointing to basement ..	Sqr.	5·61		
25	Ornamental work in mortar alround doors and windows.	Lump sum			
26	Chunam borders over roof	R.ft.	152		
27	Teakwood finials 4" x 4" x 4 ft. long ..	No.	5		
28	Butting grooves in stone slab pillers ...	„	10		
29	Perforted brickwork in outside walls of end rear rooms.	„	12		
30	Inscription and date stone	Lump sum			
31	Clearing site and levelling ground ..	Lump sum			

Dated 11th February 1928.

Notice is bereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur, Division, up to 2 P.M., on 25th February 1928, for restoring Chikka Mathkur Choldakere in Kunigal Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1928.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M., on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer.

4. Each tender must be accompanied by a deposit of Rupees 300 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring Chikka Mathkur Choldakere in Kunigal Taluk", in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. The rate should be noted both in figures and in words in the form without any corrections or additions under items of works.

10. No claim for any higher rate on any account will be entertained after the tender is accepted.

11. The contractor will be fixed in terms of his bond for any short progress or delay

12. In matters of all disputes about rates, measurements, quantity of work and in all disputes of any kind the decision of the Chief Engineer will be final and legally binding on the contractor.

Approximate quantities of work for restoring Chikka Mathkur Choldakere in Kunigal Taluk.

Serial No.	Items of work	Per	Quantity	Rate	
				In figures	In words
	BUND			Rs. a. p.	
1	Clearing jungle	Grade	9		
2	Cutting grips to receive fresh earth ...	Lump	sum		
3	Earthwork to bund including watering of tamping.	C.yd.	886		
4	Earthwork to breach with selected earth gravel and clay mixed in equal portions, watering tamping, etc., complete.	,,	5508		
5	Clearing silt in breach	,,	482		
6	Excavating soft rock for puddle wall ...	,,	36		
7	Cutting steps as shown in plan ...	Lump	sum		
8	Putting clay puddle wall with watering and tamping.	C.yd.	659		
9	Burnt brick in surki mortar	C.ft.	792		
10	Constructing jelly drains	R yd.	160		
11	Gravel backing to new stone work ...	C.yd.	114		
12	New stone revetment	,,	551		
13	Turfing	S yd.	1652		
14	Providing and fixing new grades and index stones with figures cut and painted, etc., complete.	No.	10		
15	Do B. M. stones do ..	,,	2		
16	Do R. No. stone do ...	,,	1		
	SLUICE.			Rs. a. p.	
1	Examining and repairing the leaky sluice ...	Lump	sum		
	WASTE WEIR.				
1	Dismantling the old masonry	C.ft.	420		
2	Earthwork excavating foundation ..	C.yd.	38		
3	Burnt brick in surki mortar	C.ft.	1693		
4	Surki concrete coping	,,	90		
5	Burnt stone slabs	S ft.	24		
6	Plastering with surki mortar	Sqr.	13·40		
7	Rough stone work new	C.yd.	141		
8	Resetting old stone work with new jelly ...	,,	91		

302

Notice dated 28th December 1927.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur Division up to 1 P.M., on 20th February 1928, for constructing Sub-Register's Office and Bonded Warehouse at Kunigal. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of 30th June 1928.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M., on all days except Sunday and Holidays.

3. The tenders should be submitted on printed forms which may be obtained from the Executive Engineer.

4. Each tender must be accompanied by a deposit of Rs. 350 in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for construct ing Sub-Registrar's Office and Bonded Warehouse at Kunigal" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. The rate should be noted both in figures and in words in the form without and corrections or addition.

10. No claim for any higher rate on any account will be entertained after the tender is accepted.

11. The contractor will be dealt with in terms of his bond for any short progress or delay.

12. In matters af all disputes about rate and measurements quality of work, etc., and in all disputes of any kind the decision of the Chief Engineer will be final and legally binding.

Approximate quantities of work for constructing Sub-Registrar's Office and Bonded Warehouse at Kunigal.

Sl. No.	Item of works	Per	Quantity
1	Earthwork excavation and filling in basement ..	C.yd.	45
2	Burnt stone in clay	C.ft.	1909
3	Burnt brick in clay	"	2534
4	Burnt brick in mortar	"	565
5	Burnt stone slabs 6" thick one line dressed ..	S. ft.	607
6	Chunam plastering, two coats	Sqr.	60·55
7	Chunam pointing nice	"	3·46
8	White and colour washing, two coats	"	60·55
9	Teakwood work with wood oiling	C.. ft.	165·03
10	Roofing with 1st Class Mangalore pattern Tumkur tiles on teak reepers and eave tiles being tied up with teak batton screw down to the rafters, etc complete.	Sqr.	17·60
11	Ridge tiles set in mortar and cement pointing ...	R.ft.	52
12	Chunam borders, 6" thick	"	144
13	Flat terrace roofing with terrace brick on edge 3" concrete and three courses of flat tiles and plaster.	Sqr.	6·07
14	Burnt brick in chunam cornice 9" thick including smooth plastering with mortar.	R.ft.	257
15	Teakwood ornamental eave board 9" wide including painting.	"	113
16	Cutting channels in carbel stones and stone slab pillars for resting Bressummers.	No.	28
17	Parapet wall over the terrace roof 1½ feet high including plastering.	R.ft.	113

Sl No.	Items of work	Per	Quantity
18	Teakwood doors 1¼" thick with panelled shutters with iron clamps, iron works such as hinges, tower bolts, pad-locks, etc., complete.	S.ft.	114
19	Teakwood doors, 1½" thick with battened shutters, with four folded iron clamps, hinges, tower bolts, pad-locks, etc., complete. The side frame to be fixed in cill slab in 3" depth to fix the frame.	,,	44
20	Teakwood windows with expanded metal one inch mesh quarter inch thick outside fixed, inside glazed shutters with iron bars ¾" dia. fastenings, hinges, etc., complete to Sub-Registrars' Clerks' and record rooms.	,,	95
21	Teakwood windows with panelled shutters outside and inside glazed ¾" dia. iron bars with iron clamps, hinges etc., complete.	,,	157
22	Teakwood ventilators with expanded metal of one inch mesh and quarter inch thick, the shutters fixed to frame and iron bars and clamps, etc., complete.	,,	21
23	Teakwood finials at gable ends 4' long 4"×4" ...	No.	2
24	Silicate chocolate paint	Sqr.	12·84
25	Flooring with 1½" thick Cuddapah slabs over 3" one-concrete bed and cement pointing.	,,	12·06
26	Flooring with burnt stones, slabs 4½"×6" thick over 6" sandbed and cement pointing to spirit room.	,,	2·64
27	Expanded metal (1" mesh and ¼" thick) partition with four folded shutters with teak frame 2"×3" with four partitions in height painting, etc., complete.	S.ft.	135
28	Teakwood screen with double shutters, wooden panel, filling, fixed in floor, iron work and painting, etc., complete.	,,	84
29	Teakwood terminal finials	No.	4
30	Zinc storm water drain pipes 3" dia. built into masonry.	R.ft.	112
31	Tarring wood work	Lump	sum
32	Providing Clerestories top and sprit room ...	Lump	sum
33	Clearing site and levelling ground and forming ramp in the side of verandah and spirit room.	Lump	sum

Abstract Notification.

The attention of the public is invited to the notice calling for tenders for constructing a Middle School Building at Tiptur, published in the *Mysore Gazette*, dated 2nd February 1928, Part VI, pages 122 and 123.

Abstract Notification dated 29th January—4th February 1928.

The attention of the public is invited to the notice calling for tenders for completing Nidsala new tank in Kunigal Taluk published in the *Mysore Gazette*, dated 9th February 1928, Part VI, pages 146 to149.

V. V. PATANKAR,
Executive Engineer,

HASSAN DIVISION.

Dated 9th February 1928.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 2 P.M., on 4th March 1928, for opening out a fair weather road from Alur to Kundur. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1928.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Hassan, between the hours of 11 A.M. and 4 P.M.

3. Tenders should be submitted on printed forms, which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed:—

Description of work	Unit of work	Rate per unit

4. Each tender must be accompanied by a deposit of Rupees two hundred only in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for the opening out a fair weather road from Alur to Kundur", in default of which tenders will be rejected.